



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 1/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
1	Plate	1	1.0045	209,4			2112x2112 15 mm
4	Plate	2	1.0045	337,3			1930x557 10 mm
4	Plate	3	1.0045	122,6			1952x200 10 mm
14	Plate	4	1.0045	10,5			110x110 10 mm
2	Plate	5	1.0045	33,4			2150x100 10 mm
2	Plate	6	1.0045	30,5			1948x100 10 mm
12	Plate	7	1.0045	24,9			265x100 10 mm
1	Plate	8	1.0045	258,9			3860x1633 10 mm
2	Plate	9	1.0045	93,2			1628x245 15 mm
1	Plate	10	1.0045	16,7			2147x100 10 mm
1	Plate	11	1.0045	21,4			2746x100 10 mm
2	Plate	12	1.0045	10,8			720x100 10 mm
3	Plate	13	1.0045	3,7			191x100 10 mm
2	Plate	14	1.0045	4,2			284x100 10 mm
57	Plate	15	1.0045	219,2			490x100 10 mm
2	Plate	16	1.0045	2,2			162x100 10 mm
1	Plate	17	1.0045	0,7			102x100 10 mm
2	Plate	18	1.0045	6,4			455x100 10 mm
2	Plate	19	1.0045	7,4			496x100 10 mm
1	Plate	20	1.0045	48,1			2154x555 10 mm
REV.	DESCRIPTION	DATE	NAME			CARRY FROM PREVIOUS PAGE	
a				1461,5		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 2/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
1	Plate	21	1.0045	49,3			2154x555 10 mm
1	Plate	22	1.0045	53,3			2023x811 10 mm
1	Plate	23	1.0045	52,3			2023x811 10 mm
1	Plate	24	1.0045	259,8			3369x1659 10 mm
1	Plate	25	1.0045	18,5			717x481 10 mm
1	Plate	26	1.0045	17,0			717x481 10 mm
1	Plate	27	1.0045	21,3			1134x309 10 mm
1	Plate	28	1.0045	68,4			1500x1500 10 mm
1	Plate	29	1.0045	58,4			1309x885 10 mm
1	Plate	30	1.0045	58,4			1309x885 10 mm
1	Plate	31	1.0045	9,2			858x140 10 mm
1	Plate	32	1.0045	9,2			858x140 10 mm
1	Plate	33	1.0045	3,4			1400x1400 10 mm
2	Plate	34	1.0045	18,7			1398x680 10 mm
4	Plate	35	1.0045	8,7			268x150 10 mm
2	Plate	36	1.0045	4,3			267x150 10 mm
2	Plate	37	1.0045	3,3			180x150 10 mm
1	Plate	38	1.0045	8,7			1118x100 10 mm
1	Plate	39	1.0045	15,8			2029x100 10 mm
1	Plate	40	1.0045	23,0			2940x100 10 mm
REV.	DESCRIPTION	DATE	NAME	1461,5		CARRY FROM PREVIOUS PAGE	
a				2222,4		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 3/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
2	Plate	41	1.0045	4,3			295x100 10 mm
2	Plate	42	1.0045	4,8			315x100 10 mm
6	Plate	43	1.0045	25,4			540x100 10 mm
2	Plate	44	1.0045	4,0			261x100 10 mm
2	Plate	45	1.0045	3,8			270x100 10 mm
4	Plate	46	1.0045	8,0			270x100 10 mm
2	Plate	47	1.0045	10,5			684x100 10 mm
2	Plate	48	1.0045	6,7			442x100 10 mm
4	Plate	49	1.0045	12,1			385x100 10 mm
2	Plate	50	1.0045	7,5			490x100 10 mm
2	Plate	51	1.0045	6,5			416x100 10 mm
2	Plate	52	1.0045	16,7			1081x100 10 mm
2	Plate	53	1.0045	4,7			310x100 10 mm
2	Plate	54	1.0045	2,4			162x100 10 mm
2	Plate	55	1.0045	10,2			687x100 10 mm
2	Plate	56	1.0045	5,3			348x100 10 mm
2	Plate	57	1.0045	5,4			350x100 10 mm
2	Pipe	58	1.0425	13,0			350 Ø139,7x5,6
6	Poke hole NW130	59	1.0425	57,0		dr. 49-0040 00	
32	Screw M16x55	60	8.8 zincd	4,0	ISO 4014		
REV.	DESCRIPTION	DATE	NAME	2222,4		CARRY FROM PREVIOUS PAGE	
a				2434,9		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 4/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
32	Nut M16	61	8 zincd	1,3	ISO 4032		
32	Washer M16	62	St zincd	0,4	ISO 7089		
1	Plate	63	1.0045	280,6			3860x1300 10 mm
1	Plate	64	1.0045	19,9			2555x100 10 mm
1	Plate	65	1.0045	16,6			2136x100 10 mm
1	Plate	66	1.0045	2,3			307x100 10 mm
1	Plate	67	1.0045	2,3			307x100 10 mm
2	Plate	68	1.0045	6,6			435x100 10 mm
1	Plate	69	1.0045	3,2			435x100 10 mm
2	Plate	70	1.0045	0,8			58x100 10 mm
2	Plate	71	1.0045	1,2			83x100 10 mm
2	Plate	72	1.0045	1,9			139x100 10 mm
2	Plate	73	1.0045	4,2			296x100 10 mm
3	Plate	74	1.0045	8,7			382x100 10 mm
28	Screw M16x50	75	8.8 zincd	3,3	ISO 4014		
1	Plate	76	1.0045	312,0			3280x1589 10 mm
2	Plate	77	1.0045	121,5			2120x245 15 mm
2	Plate	78	1.0045	32,7			2097x100 10 mm
2	Plate	79	1.0045	39,0			2525x100 10 mm
2	Plate	80	1.0045	37,5			2417x100 10 mm
REV.	DESCRIPTION	DATE	NAME	2434,9		CARRY FROM PREVIOUS PAGE	
a				3331,0		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 5/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
2	Plate	81	1.0045	3,1			214x100 10 mm
2	Plate	82	1.0045	1,2			82x100 10 mm
4	Plate	83	1.0045	4,9			198x100 10 mm
2	Plate	84	1.0045	2,6			198x100 10 mm
2	Plate	85	1.0045	7,5			490x100 10 mm
2	Plate	86	1.0045	2,6			175x100 10 mm
3	Plate	87	1.0045	9,5			443x100 10 mm
6	Plate	88	1.0045	19,6			443x100 10 mm
1	Plate	89	1.0045	1,6			229x100 10 mm
1	Plate	90	1.0045	317,8			3280x1589 10 mm
1	Plate	91	1.0045	276,9			3860x946 10 mm
1	Plate	92	1.0045	41,9			3820x140 10 mm
1	Plate	93	1.0045	29,6			3860x100 10 mm
2	Plate	94	1.0045	6,8			446x100 10 mm
5	Plate	95	1.0045	17,5			446x100 10 mm
3	Pipe	96	1.0425	20,4			450 Ø139,7x5,6
1	Plate	97	1.0045	355,2			3390x2240 10 mm
1	Plate	98	1.0045	288,5			3016x2769 10 mm
1	Plate	99	1.0045	16,1			872x546 10 mm
1	Plate	100	1.0045	13,7			1084x1084 10 mm
REV.	DESCRIPTION	DATE	NAME	3331,0		CARRY FROM PREVIOUS PAGE	
a				4768,2		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 6/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
1	Plate	101	1.0045	27,0			2523x140 10 mm
1	Plate	102	1.0045	2,4			295x140 10 mm
1	Plate	103	1.0045	16,9			2169x100 10 mm
1	Plate	104	1.0045	11,8			1515x100 10 mm
1	Plate	105	1.0045	10,5			1351x100 10 mm
1	Plate	106	1.0045	1,9			258x100 10 mm
1	Plate	107	1.0045	5,1			656x100 10 mm
10	Plate	108	1.0045	30,2			385x100 10 mm
1	Plate	109	1.0045	2,7			356x100 10 mm
1	Plate	110	1.0045	5,8			755x100 10 mm
3	Plate	111	1.0045	7,9			345x100 10 mm
1	Plate	112	1.0045	2,7			345x100 10 mm
1	Plate	113	1.0045	1,0			249x100 10 mm
1	Plate	114	1.0045	1,2			254x100 10 mm
1	Plate	115	1.0045	6,2			801x100 10 mm
1	Plate	116	1.0045	4,9			642x100 10 mm
1	Plate	117	1.0045	3,3			445x100 10 mm
1	Plate	118	1.0045	3,0			414x100 10 mm
1	Plate	119	1.0045	2,6			369x100 10 mm
1	Plate	120	1.0045	0,4			56x100 10 mm
REV.	DESCRIPTION	DATE	NAME	4768,2		CARRY FROM PREVIOUS PAGE	
a				4915,6		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 7/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
1	Plate	121	1.0045	2,6			363x100 10 mm
1	Plate	122	1.0045	2,7			366x100 10 mm
1	Plate	123	1.0045	3,1			415x100 10 mm
1	Plate	124	1.0045	2,6			341x100 10 mm
1	Plate	125	1.0045	3,0			445x100 10 mm
1	Plate	126	1.0045	1,4			219x100 10 mm
1	Plate	127	1.0045	99,0			1578x1269 10 mm
2	Pipe	128	1.0045	1,1			160 Ø48,3x3,2
2	Reducing socked G 1 1/2" / G 1/2"	129	GTW h.d.g.	0,6	EN 10242		female/ female
2	Plug R 1/2"	130	GTW h.d.g.	0,1			square + octagon
2	Pipe	131	1.0045	1,9			270 Ø48,3x3,2
2	Connector	132		1,4		Supply by customer	
2	Pipe	133	1.0045	1,3			270 Ø33,7x3,2
2	G 1"-1/2"-1" Tee reducing 90°	134	GTW h.d.g.	0,8	EN 10242		female
1	Pipe	135	1.0425	6,5			470 Ø139,7x5,6
1	Pipe	136	1.4841	11,4			870 Ø114,3x6
1	Flange Type 11 B PN16 DN 100/114,3	137	1.0045	4,4	DIN 2633		
1	Blind flange DN100 Type 05A PN16	138	1.0045	5,6	DIN 2633		
1	Sealing IBC DN100 PN16	139	KLINGERSIL C-4400	0,2	EN 1514-1	Thickness 2 mm	
8	Screw M16x65	140	8.8 zn.	1,0	ISO 4017		
REV.	DESCRIPTION	DATE	NAME	4915,6		CARRY FROM PREVIOUS PAGE	
a				5066,3		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 8/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
8	Nut M16	141	8 zn.	0,3	ISO 4032		
8	Washer A16	142	St zn.	0,1	ISO 7090		
1	Plate	143	1.0045	474,4			3390x2240 10 mm
1	Plate	144	1.0045	38,6			3520x140 10 mm
2	Plate	145	1.0045	53,1			3390x100 10 mm
1	Plate	146	1.0045	8,8			1132x100 10 mm
1	Plate	147	1.0045	5,5			712x100 10 mm
1	Plate	148	1.0045	6,2			809x100 10 mm
1	Plate	149	1.0045	1,1			153x100 10 mm
1	Plate	150	1.0045	1,9			258x100 10 mm
1	Plate	151	1.0045	2,5			341x100 10 mm
2	Plate	152	1.0045	0,5			97x37 10 mm
1	Plate	153	1.0045	1,2			80x100 20 mm
1	PSA Lifting eye bolts 360° rotatable	154	C 15	0,3	EN 795		M16
1	Plate	155	1.0045	626,4			4631x1930 10 mm
1	Plate	156	1.0045	58,6			1780x280 15 mm
1	Plate	157	1.0045	62,8			1780x300 15 mm
1	Plate	158	1.0045	49,4			1910x220 15 mm
1	Plate	159	1.0045	215,0			2290x600 20 mm
7	Plate	160	1.0045	35,5			290x274 15 mm
REV.	DESCRIPTION	DATE	NAME	5066,3		CARRY FROM PREVIOUS PAGE	
a				6708,4		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 9/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
7	Plate	161	1.0045	72,3			460x386 15 mm
6	Plate	162	1.0045	3,3			82x100 10 mm
36	Plate	163	1.0045	169,8			608x100 10 mm
2	Plate	164	1.0045	5,6			368x100 10 mm
2	Plate	165	1.0045	2,8			188x100 10 mm
7	IPE 160	166	1.0045	184,4	DIN 1025-5		1804
7	IPE 160	167	1.0045	81,4	DIN 1025-5		872
5	IPE 160	168	1.0045	73,8	DIN 1025-5		1006
5	IPE 160	169	1.0045	97,7	DIN 1025-5		1329
2	IPE 160	170	1.0045	16,5	DIN 1025-5		656
8	Plate	171	1.0045	6,1			110x110 10 mm
1	Plate	172	1.0045	626,4			4631x1930 10 mm
1	Plate	173	1.0045	68,5			2080x280 15 mm
1	Plate	174	1.0045	73,4			2080x300 15 mm
1	Plate	175	1.0045	57,1			2210x220 15 mm
1	Plate	176	1.0045	243,7			2590x601 20 mm
1	Plate	177	1.0045	218,3			2413x2266 10 mm
1	Plate	178	1.0045	38,4			2181x150 15 mm
1	Plate	179	1.0045	130,9			1672x500 20 mm
10	Plate	180	1.0045	201,4			565x495 15 mm
REV.	DESCRIPTION	DATE	NAME	6708,4		CARRY FROM PREVIOUS PAGE	
a				9080,0		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 10/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
2	Plate	181	1.0045	21,1			1346x100 10 mm
2	Plate	182	1.0045	15,8			1013x100 10 mm
2	Plate	183	1.0045	8,6			555x100 10 mm
4	Plate	184	1.0045	10,1			330x159 10 mm
2	Plate	185	1.0045	5,7			399x159 10 mm
2	Plate	186	1.0045	2,9			194x100 10 mm
2	Plate	187	1.0045	3,9			276x100 10 mm
1	Plate	188	1.0045	218,3			2413x2266 10 mm
1	Plate	189	1.0045	38,4			2181x150 15 mm
1	Plate	190	1.0045	130,9			1672x500 20 mm
1	Plate	191	1.0045	309,4			4060x1902 10 mm
1	Plate	192	1.0045	41,7			4122x1117 10 mm
1	Plate	193	1.0045	124,7			4675x340 10 mm
1	Plate	194	1.0045	53,4			3449x1350 15 mm
1	Plate	195	1.0045	30,3			3860x100 10 mm
2	Plate	196	1.0045	24,7			1581x100 10 mm
2	Plate	197	1.0045	9,4			603x100 10 mm
2	Plate	198	1.0045	1,2			80x100 10 mm
6	Plate	199	1.0045	2,2			61x100 10 mm
2	Plate	200	1.0045	7,5			486x100 10 mm
REV.	DESCRIPTION	DATE	NAME	9080,0		CARRY FROM PREVIOUS PAGE	
a				10140,2		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 11/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
4	Plate	201	1.0045	15,3			486x100 10 mm
2	Plate	202	1.0045	7,3			476x100 10 mm
2	Plate	203	1.0045	6,6			426x100 10 mm
2	Plate	204	1.0045	1,7			116x100 10 mm
2	Plate	205	1.0045	9,0			593x100 10 mm
8	Plate	206	1.0045	12,0			191x100 10 mm
1	Plate	207	1.0045	282,9			3058x2170 10 mm
1	Plate	208	1.0045	110,3			3270x430 10 mm
2	Plate	209	1.0045	74,7			2832x759 15 mm
14	Plate	210	1.0045	374,4			570x429 15 mm
2	Plate	211	1.0045	5,9			250x150 10 mm
1	Plate	212	1.0045	58,8			1441x350 15 mm
2	Plate	213	1.0045	23,0			1485x100 10 mm
2	Plate	214	1.0045	22,5			1444x100 10 mm
2	Plate	215	1.0045	25,0			1602x100 10 mm
2	Plate	216	1.0045	14,8			952x100 10 mm
2	Plate	217	1.0045	13,9			891x100 10 mm
2	Plate	218	1.0045	11,9			765x100 10 mm
2	Plate	219	1.0045	9,3			612x100 10 mm
4	Plate	220	1.0045	2,9			200x50 10 mm
REV.	DESCRIPTION	DATE	NAME	10140,2		CARRY FROM PREVIOUS PAGE	
a				11222,5		CARRY TO NEXT PAGE	
b							
c							
d							



A-8200 Gleisdorf
Neugasse 111

DRAWING-No.: **P.CEO.011/49-0300.00**

DRAWING-Title: Kiln inlet K-InTEQ.2950

REMARK:

DATE: 17.03.2025

REVISION: -

PAGE-No.: 12/12

NAME: RM

AMOUNT	DESIGNATION	POS.	MATERIAL	WEIGHT Σ	NORM	REMARK	BASE SIZE
1	Plate	221	1.0045	282,9			3058x2170 10 mm
1	Plate	222	1.0045	110,3			3270x430 10 mm
1	Plate	223	1.0045	58,8			1441x350 15 mm
2	Pipe	224	1.0425	5,5			420 Ø76,1x3,7
2	Pipe	225	1.0425	4,6			350 Ø76,1x3,7
1	Plate	226	1.4713	173,6			2765x400 20 mm
1	Plate	227	1.4713	148,4			2488x380 20 mm
14	Plate	228	1.4713	62,3			380x100 15 mm
13	Plate	229	1.4713	45,6			250x100 20 mm
26	Plate	230	1.4713	20,4			250x20 20 mm
1	Plate	231	1.0045	70,9			2943x550 6 mm
2	Plate	232	1.0045	6,6			550x305 6 mm
1	Plate	233	1.0045	91,0			2460x987 6 mm
1	Plate	234	1.0045	9,6			2460x977 6 mm
18	Screw M12x35	235	8.8 zn.	0,8	ISO 4017		
18	Nut M12	236	8 zn.	0,3	ISO 4032		
18	Washer A12	237	St zn.	0,1	ISO 7090		
1	Plate	238	1.0045	47,1			6000x100 10 mm
REV.	DESCRIPTION	DATE	NAME	11222,5		CARRY FROM PREVIOUS PAGE	
a				12361,4		CARRY TO NEXT PAGE	
b							
c							
d							